

# SCR-508

## US WWII vehicular radio set series

AVM35058


1/35 scale photoetched accessory set



Made in EU 2013


[www.minor-web.com](http://www.minor-web.com)

**CAUTION** This product contain small pieces,  
not suitable for childrens under 10 years




- Bend
- Symmetrically (Both sides)
- OP** Optional
- I** Put into
- Original parts
- minor** kit parts
- Scratchbuilt or modified parts
- R** Repeat on all similars

### FT-237 Mounting




### BC-604/684 Transmitter


Put rods in all red holes




## BC-603/683 Receiver (2 units)




## BC-605 Intercom




## CH-264 Chest




## LS-3 Loudspeaker





## HS-30 Headphones




## T-17 Microphone




SCR-508 / 608 : BC-604 / 684 (x1) , BC-603 / 683 (x2)





SCR-528 / 628 : BC-604 / 684 (x1) , BC-603 / 683 (x1)



CH-264 Chest or BC-605 intercom for armoured vehicles



SCR-538 / 638 : BC-603 / 683 (x1) , BC-605 (x1)  
Early WWII US AFVs configuration



SCR-508 series: for low frequency range, 20-27.9 MHz. Output 30W. 12-24 VDC.  
SCR-608 series: for high frequency range, 27-28.9 MHz. Output 20W. 12-24 VDC.